REV-01 MEV/01/05

Duration: 3 hrs.

Time: 30 min.

c. Penicillium digitatum

M.Sc. ENVIRONMENTAL Sc. SECOND SEMESTER ENVIRONMENTAL BIOTECHNOLOGY SET A

Marks: 20

1X20=20

Full Marks: 70

2023/06

MEV – 203 [REPEAT] [USE OMR FOR OBJECTIVE PART]

Objective

Choose the correct answer from the following: Rhizobium is used as biofertilizer in a. Non-leguminous crop b. Leguminous crop d. None c. Both A&B Most disposable wastes are in the form of a. solids b. liquids d. all of the above c. slurries Which one is more toxic? b. Cr VI a. Cr III c. Cr IV d. Cr V 4. The percentage of carbondioxide in the bio methane is b. 32-43 a. 30-40 d. 55-60 c. 35-45 5. PRB technique uses a. Zerovalent chromium b. Covalent Iron d. Zerovalent Iron c. Covalent chromium The bio ethanol obtained in the fermentation process has \_\_\_\_\_ purity b. 99.2% a. 99% c. 99.4% d. 99.7% Feature(s) of Zero Waste Management is (are): b. Separate collection of each kind a. Separation of garbage at the source Involvement of the community in all d. all of the above activities Acidophiles means b. Acid hating a. Acid loving d. None c. Alkali loving Which fungus is used to kill milkweed vine? b. Phytophthora palmivora a. Gigaspora

d. AM

10.	The simplest and most common method used in the cities is to collect and dump to waste in a				
	c. ocean	d.	any of the above		
11.	Hg(II) is reduced tofor bioremediation				
	a. Hg(III)	b.	Hg(II)		
	c. Hg(l)	d.	Hg (0)		
12.	PHB is used in				
	<ol> <li>Agricultural applications</li> </ol>	b.	Medical applications		
	c. Manufacture of shampoo bottles	d.	Adhesives		
13.	Problem of solid waste disposal can be reduced through				
	a. Recycling		Lesser pollution		
	c. More timber		Population control		
14.	Arbuscular mycorrhiza forms symbiotic association with				
	a. Vascular plants		Non-vascular plants		
	c. Paddy		None		
15	Tannery wastes includes				
13.	a. Organic pollutants	L	In amount a seally to set		
	c. Both A & B	d.	Inorganic pollutants None		
16		ч.	None		
10.	which of the following is true?	b	the apparent waste from one necessity		
	there is no real waste in nature	υ.	the apparent waste from one process becomes input to another		
	c. all processes of production and	d.	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	consumption produce waste		all of the above		
17.	Bacillus firmus is an				
	a. Acidophile	b.	Xerophile		
	c. Alkalophile		None		
18.	A good way of dealing with the solid waste problem is				
	a. landfilling		recycling		
	c. both (A) and (B)		none of the above		
10		ч.	none of the above		
19.	Atropine can be degraded by				
	a. Citrobacter	_	Aerobacter		
	c. Pseudomonas	d.	Azobacter		
20.	20. Which of the following is not an example of a natural biodegradable polymer?				
	a. Collagen		Polyvinyl alcohol		
	c. Lignin		Natural rubber		

[2]

USTM/COF/R-01

## $\left( \, \underline{\text{Descriptive}} \, \right)$

Time: 2 hrs. 30 min. Marks: 50

## [Answer question no.1 & any four (4) from the rest]

1.	Discuss about various microorganisms which are used in waste water treatment.	10
2.	<ul> <li>i. What do you understand by radioactive materials?</li> <li>ii. What is half-life?</li> <li>iii. What is radioactive decay?</li> <li>iv. What are the different types of radioactive decay?</li> <li>v. State the different sources and harmful effects of radioactive compounds.</li> </ul>	1+1+1+ 4+3=10
3.	Explain briefly the culture dependant and culture independent techniques in Environmental Biotechnology: ARDRA, DGGE, FAME profile analysis, G+C analysis	10
4.	•	10
5.	<ul> <li>i. Define Bioremediation.</li> <li>ii. What is the need for bioremediation in the present environmental context?</li> <li>iii. Name the different types of Bioremediation techniques?</li> <li>iv. Compare the advantages and disadvantages of the In-situ and Ex-situ bioremediation techniques and give your personal opinion.</li> </ul>	1+1+4+ 4=10
6.	What are the different types of Bio-sensors? Draw relevant diagrams with the answer	10
7.	<ol> <li>Mention the different methods of solid waste management system? Write a note on incineration.</li> </ol>	
8.	Write notes on along with suitable diagrams-  a. Bio-reactor  b. Natural attenuation	5×2=10

[3]